



Ultra-compact 45W USB-C wall charger with Power Delivery 3.0 and PPS

SKU: TETRGAN1C45WW



Safe and device-friendly charging in a mini format, perfect for smartphones, iPhones and tablets

FAST AND RELIABLE CHARGING EVEN FOR VARIOUS DEVICES

The **45W USB-C wall charger** is designed to offer fast charging. The **USB-C port with Power Delivery 3.0 technology** allows you to adapt the power supplied to the charging needs of your compatible connected device, reducing charging times compared to standard chargers while avoiding the risk of overheating. It is an ideal accessory for everyday use at home, in the office or on the go when you need a **compact but high-performance charger**.

GaN TECHNOLOGY: ENERGY EFFICIENCY AND COMPACT DESIGN

This **mini wall charger** is equipped with gallium nitride semiconductors (**GaN**), an innovative solution which improves energy efficiency. This is because GaN semiconductors are characterised by lower energy dispersion and greater heat resistance compared to traditional materials. The high efficiency also makes it possible to produce a **smaller charger (just 53 x 35.4mm) but with high performance**. The result is a lightweight and easy to carry accessory, perfect for those who travel or want to reduce clutter in their charging station.

DYNAMIC CHARGING WITH POWER DELIVERY 3.0 AND PPS

In addition to Power Delivery 3.0 technology, this charger also integrates **PPS (Programmable Power Supply)** technology that continuously regulates input voltage and current during charging, adapting to the needs of the connected device, even in the smallest details. This system enables **smart energy management**, improving efficiency and helping to preserve your device's battery over time.

KEY FEATURES

- Charger USB-C 45W
- Semiconductors GaN: more efficient and compact
- Power Delivery 3.0: regulates the power delivered
- Programmable Power Supply: adapts voltage even to the smallest variations
- Compact design
- Ideal for smartphones and tablets

INCLUDES

- 1 mini wall charger



Ultra-compact 45W USB-C wall charger with Power Delivery 3.0 and PPS
SKU: TETRGAN1C45WW

Technical data

SKU: TETRGAN1C45WW

Net Depth: 9 cm

Net Width: 3.5000 cm

Net Height: 3.5000 cm

Weight: 30 g

Output power: 45W

Maximum output power: 45 W

EAN: 8018417535017

GPSR: The product must not be used by children or by people unable to understand the potential risks., Item subject to WEEE Directive 2012/19/EU, Item subject to CE marking, The device is protected by double insulation, an earthed connection is not permitted, Packaging of the item subject to the "Green Dot" recycling system, Use the product indoors and in a sheltered environment, The item packaging is recyclable, Item subject to UKCA marking

Color: white

Input: 100-240V A.C. 50/60 Hz 1,2A

Output: 5 VDC 3A/9 VDC 3A/12 VDC 3A/20 VDC 2.25A (PD 45W)

: 85044060

Connector: 1xUSB-C

Plug type: EU

Technology: Power Delivery (PD), Programmable Power Supply

Charging type: Power Delivery

Input voltage: 100 - 240 Vac / 50-60 Hz

Logistics data

Depth Pack: 100 mm

Width Pack: 50 mm

Depth Inner: 250 mm

Height Pack: 170 mm

Weight Pack: 105 g

Width Inner: 190 mm

Amount Inner: 6 Pz

Depth Master: 460 mm

Height Inner: 110 mm

Weight Inner: 745 g

Width Master: 390 mm

Amount Master: 48 Pz

Height Master: 280 mm

Weight Master: 6625 g