40 W USB-C wall charger with Power Delivery 3.2 and AVS

SKU: TETRGAN1CAVS40W





Fast, smart charging in a super-compact format, perfect for smartphones, iPhones and tablets

FAST CHARGING UP T0 40 W FOR SMARTPHONES, TABLETS AND IPHONES

The **40 W wall charger with USB-C port** is designed to ensure **fast and safe charging** for smartphones, tablets and iPhones. Thanks to the **Power Delivery 3.2** technology, the charger automatically recognises the connected compatible device and provides the optimal amount of power **up to 40 W**, thereby avoiding any risk of overheating or overloading. Ideal at home, in the office or on the move: quickly charge all your compatible devices with just one compact accessory.

GAN TECHNOLOGY FOR IMPRESSIVE PERFORMANCE IN A COMPACT FORMAT

The **mini wall charger** is equipped with gallium nitride **(GaN)** semiconductors. This material is set apart by its greater energy efficiency compared to traditional materials. The result is a **smaller, more efficient charger**, with less energy dispersion and greater heat resistance. Despite its compact size (just **53 x 35.4 mm**), this charger offers impressive performance and reliable charging, perfect for people in search of power and portability in a single accessory.

SMART CHARGING WITH POWER DELIVERY 3.2 AND AVS

Power Delivery 3.2 technology controls the power supplied by the charger and ensures fast and safe charging for compatible devices with a USB-C port, while the **AVS (Adjustable Voltage Supply)** system also regulates the input voltage so that the charger fully adapts to the needs of the connected compatible device. This smart system improves charging efficiency and also helps to **protect the battery** of your device. The charger therefore supports different charging needs, ensuring compatibility with numerous devices, from smartphones to tablets. Specifically, the AVS system is ideal for quickly and safely charging the iPhone 17.

KEY FEATURES

- Charger with 40 W USB-C port
- Gallium nitride (GaN) semiconductors for greater efficiency
- Power Delivery 3.2: controls the output power
- AVS: smart input voltage regulation
- Super-compact format
- Ideal for iPhones, smartphones and tablets

INCLUDES

- 1 mini wall charger

40 W USB-C wall charger with Power Delivery 3.2 and AVS
SKU: TETRGAN1CAVS40W

Technical data

EAN: 8018417535000
SKU: TETRGAN1CAVS40W
GPSR: The product must not be used by children or by people unable to understand the potential risks., Item subject to WEEE Directive 2012/19/EU, Item subject to CE marking, The device is protected by double insulation, an earthed connection is not permitted, Packaging of the item subject to the "Green Dot" recycling system, Use the product indoors and in a sheltered environment, The item packaging is recyclable, Item subject to UKCA marking
Color: black
Net Depth: 9 cm
Input: 100-240 V A.C. 50/60 Hz - 1.5 A
Net Width: 3.5000 cm
Net Height: 3.5000 cm
Output: 5V D.C. 3A/9V D.C. 3A/15V D.C. 2,67A/20V D.C. 2A (PD 40W)
Weight: 100 g
: 85044060
Connector: 1xUSB-C
Plug type: EU
Technology: Adjustable Voltage Supply, Power Delivery (PD)
Output power: 40W
Charging type: Power Delivery
Input voltage: 100 - 250 VAC / 50-60 Hz
Maximum output power: 40 W

Logistics data

Depth Pack: 40 mm
Width Pack: 90 mm
Depth Inner: 260 mm
Height Pack: 180 mm
Weight Pack: 30 g
Width Inner: 190 mm
Amount Inner: 6 Pz
Depth Master: 460 mm
Height Inner: 100 mm
Weight Inner: 730 g
Width Master: 390 mm
Amount Master: 48 Pz
Height Master: 270 mm
Weight Master: 6555 g

SBS s.p.a Via Circonvallazione s/n 28010 - Miasino - Italia
Tel. +39 0322980909 - Fax. 0322980910 - P.IVA 01888310032
Reg. Imprese IT01888310032 Capitale Sociale: 2.000.000 Euro I.V
e-mail: info@sbsmobile.it