



65 Watt GaN wall charger with 1 USB-C Power Delivery and 1 USB-A Adaptive Fast Charge

SKU: TETRGANUSBCPD65W



Ultra-compact and fast, the charger powers two devices at once: charge safely without overheating!

WHY CHOOSE A GAN CHARGER?

The **65W wall charger** is made from Gallium nitride semiconductors. The charger is 60% smaller than a normal wall charger, measuring only **62x32x32mm**. But it isn't lacking in power. Here is an overview of its performance and use.

CHARGE IN RECORD TIME WITH USB-C

Thanks to the **USB-C Power Delivery** port, capable of delivering up to 65W of power, you can quickly power multiple devices. If used individually, this output will save you a lot of time:

- smartphone fully charged in 15 minutes
- tablet in 30 minutes
- laptop in 50 minutes

SIMULTANEOUS CHARGING

This wall charger can be used to charge **two devices at a time**. In this case, the two ports will deliver 45W (USB-C) and 18W (USB-A), so still providing fast charging.

The USB-A port is **Adaptive Fast Charge**: it is designed for all those accessories that do not support Power Delivery, from mobile phones and e-readers to TWS headsets and powerbanks.

SAFE RECHARGING

The two outputs, Power Delivery and Adaptive Fast Charge, deliver energy safely. In fact, your device **will not overheat or suffer power overloads**.

MAIN FEATURES:

- Gallium nitride (GaN) semiconductors: small but powerful

- universal charging for smartphones, tablets, laptops, speakers, e-readers, smartwatches and more
- Maximum power output: 65 Watts
- size: 62x32x32mm
- 1 x 65 Watt USB-C port with Power Delivery (PD) technology
- 1 18W USB-A port with Adaptive Fast Charge (AFC) technology
- European plug



65 Watt GaN wall charger with 1 USB-C Power Delivery and 1 USB-A Adaptive Fast Charge
SKU: TETRGANUSBCPD65W

Technical data

SKU: TETRGANUSBCPD65W

Weight: 103 g

Output power: 65W

Recharging time: Less than 1 hour

Maximum output power: 65 W

EAN: 8018417457920

GPSR: The product must not be used by children or by people unable to understand the potential risks., Item subject to WEEE Directive 2012/19/EU, Item subject to CE marking, The device is protected by double insulation, an earthed connection is not permitted, Packaging of the item subject to the "Green Dot" recycling system, Use the product indoors and in a sheltered environment, The item packaging is recyclable, Item subject to UKCA marking

Color: black

Input: 100-240 V A.C. 50/60 Hz - 1.5 A

Output: 1 USB TYPE-C PD

Connector: 1xUSB-A, 1xUSB-C

Plug type: EU EU (Type C)

Technology: Adaptive Fast Charge, Power Delivery (PD)

USB Output: AFC 18W

Connector 1: 1xUSB-A, 1xUSB-C

Charging type: Power Delivery 65W

Input voltage: 100V - 240V A.C. 50/60 Hz 1.5 A

Logistics data

Depth Pack: 40 mm

Width Pack: 80 mm

Depth Inner: 240 mm

Height Pack: 150 mm

Weight Pack: 120 g

Width Inner: 180 mm

Amount Inner: 6 Pz

Depth Master: 390 mm

Height Inner: 90 mm

Weight Inner: 955 g

Width Master: 370 mm

Amount Master: 48 Pz

Height Master: 280 mm

Weight Master: 7870 g