140W charging station with 2 retractable cables and 5 USB-C/USB-A ports, TFT display

SKU: TETRSTRET4C2ATFT140W





Charge up to 7 devices with this 140W GaN charging station: one solution for all your devices

Charge 7 devices with a single station

Organise your workspace with the **SBS Pulse Power charging station**: power up to 7 devices at once with intelligent power distribution and a practical **colour TFT display** for real-time charging monitoring.

140W power with GaN technology

Thanks to **GaN technology**, you get high performance in a compact size: up to **140W** to charge smartphones, tablets and compatible **laptops**. Ideal as a **desktop charger** for office, home office and shared workspaces.

Power Delivery 3.1 and PPS: fast and efficient charging

The USB-C ports support **Power Delivery 3.1** for fast and stable charging. **PPS technology** dynamically adjusts voltage and power based on the connected device, helping to reduce heat and improve overall efficiency.

7 outputs: 4 USB-C, 1 USB-A + 2 integrated retractable cables

Maximum flexibility for any setup: 4 **USB-C ports**, 1 **USB-A port** and 2 integrated **retractable USB-C cables**. Pull the cable when needed and roll it back neatly – adjustable up to approx. 60 cm.

Colour display and instant control

The **colour display** shows output power and port status at a glance. The integrated control button ensures easy and intuitive operation.

Thermal protection and everyday reliability

The charging station includes temperature monitoring and integrated protection systems to ensure safe and stable charging, even when multiple devices are connected.

Main features

- **140W** total output power
- **GaN technology** for efficiency and compact design
- **Power Delivery 3.1** via USB-C

- **PPS technology** with dynamic voltage/power regulation
- Charge up to **7 devices simultaneously**
- 7 outputs: **4 USB-C**, **1 USB-A**, **2 integrated retractable USB-C cables**
- **Colour display** for real-time monitoring
- Roll-up cables (approx. 60 cm)
- Temperature monitoring and integrated protection
- EU power cable included

140W charging station with 2 retractable cables and 5 USB-C/USB-A ports, TFT display
SKU: TETRSTRET4C2ATFT140W

Technical data

EAN: 8018417536588
SKU: TETRSTRET4C2ATFT140W
GPSR: The product must not be used by children or by people unable to understand the potential risks., Item subject to WEEE Directive 2012/19/EU, Item subject to CE marking, The device is protected by double insulation, an earthed connection is not permitted, Packaging of the item subject to the "Green Dot" recycling system, Use the product indoors and in a sheltered environment, The item packaging is recyclable, Item subject to UKCA marking
Net Depth: 8.7000 cm
Input: 100-240 V A.C. 50/60 Hz - 1.8 A
Net Width: 10.7000 cm
Net Height: 3.7000 cm
Output: 140W
Weight: 585 g
: 85044060
Connector: 4xUSB-C, 1xUSB-A
Plug type: EU
Output power: 140W
Charging type: Power Delivery 140W
Input voltage: 100-240 V A.C. 50/60 Hz - 1.8 A
Recharging time: Less than 1 hour
Maximum output power: 140 W

Logistics data

Depth Pack: 50 mm
Width Pack: 110 mm
Depth Inner: 310 mm
Height Pack: 150 mm
Weight Pack: 30 g
Width Inner: 170 mm
Amount Inner: 6 Pz
Depth Master: 320 mm
Height Inner: 120 mm
Weight Inner: 3680 g
Width Master: 190 mm
Amount Master: 12 Pz
Height Master: 260 mm
Weight Master: 7660 g