



## 140W charging station with 2 retractable cables and 5 USB-C/USB-A ports, TFT display

SKU: TETRSTRET4C2ATFT140W



### Charge up to 7 devices with this 140W GaN charging station: one solution for all your devices

#### Charge 7 devices with a single station

Organise your workspace with the **SBS Pulse Power charging station**: power up to 7 devices at once with intelligent power distribution and a practical **colour TFT display** for real-time charging monitoring.

#### 140W power with GaN technology

Thanks to **GaN technology**, you get high performance in a compact size: up to **140W** to charge smartphones, tablets and compatible **laptops**. Ideal as a **desktop charger** for office, home office and shared workspaces.

#### Power Delivery 3.1 and PPS: fast and efficient charging

The USB-C ports support **Power Delivery 3.1** for fast and stable charging. **PPS technology** dynamically adjusts voltage and power based on the connected device, helping to reduce heat and improve overall efficiency.

#### 7 outputs: 4 USB-C, 1 USB-A + 2 integrated retractable cables

Maximum flexibility for any setup: 4 **USB-C ports**, 1 **USB-A port** and 2 integrated **retractable USB-C cables**. Pull the cable when needed and roll it back neatly – adjustable up to approx. 60 cm.

#### Colour display and instant control

The **colour display** shows output power and port status at a glance. The integrated control button ensures easy and intuitive operation.

#### Thermal protection and everyday reliability

The charging station includes temperature monitoring and integrated protection systems to ensure safe and stable charging, even when multiple devices are connected.

#### Main features

- **140W** total output power
- **GaN technology** for efficiency and compact design
- **Power Delivery 3.1** via USB-C

- **PPS technology** with dynamic voltage/power regulation
- Charge up to **7 devices simultaneously**
- 7 outputs: **4 USB-C, 1 USB-A, 2 integrated retractable USB-C cables**
- **Colour display** for real-time monitoring
- Roll-up cables (approx. 60 cm)
- Temperature monitoring and integrated protection
- EU power cable included



140W charging station with 2 retractable cables and 5 USB-C/USB-A ports, TFT display  
SKU: TETRSTRET4C2ATFT140W

## Technical data

SKU: TETRSTRET4C2ATFT140W

Weight: 30 g

Output power: 140W

Recharging time: Less than 1 hour

Maximum output power: 140 W

EAN: 8018417536588

GPSR: The product must not be used by children or by people unable to understand the potential risks., Item subject to WEEE Directive 2012/19/EU, Item subject to CE marking, The device is protected by double insulation, an earthed connection is not permitted, Packaging of the item subject to the "Green Dot" recycling system, Use the product indoors and in a sheltered environment, The item packaging is recyclable, Item subject to UKCA marking

Input: 100-240 V A.C. 50/60 Hz - 1.8 A

Output: 140W

Connector: 4xUSB-C, 1xUSB-A

Plug type: EU

Charging type: Power Delivery 140W

Input voltage: 100-240 V A.C. 50/60 Hz - 1.8 A

## Logistics data

Amount Inner: 1 Pz

Amount Master: 1 Pz