

sbs

100 WATT



6 in 1 Wireless PowerDock

Compatible with Wireless Charge

15W
WIRELESS
CHARGE

Compatible with
MagSafe



15 W
OUTPUT
WIRELESS



5 W
OUTPUT
WIRELESS

TYPE-C
USB-A



2 TYPE-C
INTEGRATED CABLES



360°



60°

The images are
for illustration purposes only.

Specifications:

Input: 100-240V A.C. 50/60Hz 2,5A max

Output USB-C:

5V D.C. 3A, 9V D.C. 2,22A, 12V D.C. 1,67A (20W max)

Output USB-A:

5V D.C. 3A, 9V D.C. 2A, 12V D.C. 1,5A (18W max)

Output USB-C Cable 1/ Cable 2: 5V D.C. 3A, 9V D.C. 3A,

12V D.C. 3A, 15V D.C. 3A, 20V D.C. 3,25A (65W max)

Magnetic wireless output: Phone: 5W, 7,5W, 15W (Max)

Wireless output: 3W, 5W (Max)

Output Cable 2 + Cable1: 45W + 20W max

Output Cable 2 + USB-A: 45W + 18W max

Output Cable 2 + (Cable 1 + USB-A): 45W + (5V D.C. 3A)

Output Cable 2 + (Cable 1 + USB-A) + USB-C:

45W + (5V D.C. 3A) + 20W max

Output Cable 2 + (Cable 1 + USB-A) + USB-C +

wireless 1 Output 15W + wireless 2 Output 5W max (100 W)

PPS: 3,3-11V D.C. 3A / 3,3-21V D.C. 3A max

H_{max} : 0,5 A/m

f : 110,0 ÷ 205,0 kHz

AC PORT



100 WATT

15W
WIRELESS
CHARGE



SBS spa - Via Circonvallazione s/n
28010 Miasino (No) - Italy

sbsmobile.com

customer care@sbsmobile.com

REV0_03-25

TEWIRMAG105W



UK
CA CE



Made in China
Printed in China

Follow us on:    

©2025 SBS SpA