

sbs

qi2
25W



Wireless Charger Stand 2 in 1

Compatible with Qi2.2 enabled devices

35W

WIRELESS

ALL
IN
ONE



Specifications:

Charger Station

Input: 9,0 V D.C. 3,0 A / 15,0 V D.C. 3,0 A
Wireless Output 1: 25,0W max
Wireless Output 2: 5,0W max
USB-C output: 5,0 V D.C. 1,0 A
Total Output: 35,0W max
 H_{max} : 0,5 A/m
 f 110,0 ÷ 360,0 kHz

USB-C Cable

Charging function
Data transfer and sync enabled
Connector 1: USB-C 2.0
Connector 2: USB-C 2.0
Cable length 150 cm / 5 ft
Compatible with all USB Type-C devices.

Wall Charger

Input: 110,0 - 240,0 V A.C. 50/60 Hz 1,2 A
USB-C Output: 5,0 V D.C. 3,0 A /
9,0 V D.C. 3,0 A / 12,0 V D.C. 3,0 A /
15,0 V D.C. 3,0 A / 20,0 V D.C. 2,25 A (PD 45W)





SBS spa - Via Circonvallazione s/n
28010 Miasino (No) - Italy

sbsmobile.com

customer care@sbsmobile.com

REV0_01-26

TEWIRQI225STAND2IN1



UK
CA CE



Made in China
Printed in China

Follow us on:

©2026 SBS SpA